

Nonlinear interactions of mass-in-mass cells in a lattice of acoustic metamaterial

1 Preliminary discussions

Some researches have been carried out on which consider the dynamics of mass-in-mass cells for creation of suppression band of systems. Considering a single linear unit of such systems can lead to the negative effective mass depending on the frequency of the deriving excitation [1]. In this case and according to the Newton's law, the equivalent response force will be in opposite direction of the deriving excitation and so the response of the systems will decrease. This effect is more pronounced when the deriving frequency approaches the resonance frequency of the inner mass [2]. These studies have been extended to consideration of a lattice [3] showing that including nonlinearities the band gap of suppression would increase [2]. Lazarov and Jensen [4] considered an infinite chain of globally linearly coupled particles where each global particle is attached to another local mass in nonlinear (or linear) manner. This system can be represented as mass-in-mass cells. They showed that it is possible to create some band gaps in such systems. For the case of local linear attachments, the gap is located around the frequency of local particles while the position of the band gap can be shifted in the nonlinear case depending on the type of the nonlinearity. Later on, Lazarov and Thomsen [5] studied a system which can be related to a one dimensional model of materials with included nonlinearities. In fact the system was a mono-dimensional lattice with periodically coupled linear and then nonlinear particles. They have seen that it is possible to alter low frequency properties of such system using high frequency excitations. In the following, we will discuss about our proposal and its different steps via connecting to the idea of mass-in-mass cells.

2 The proposal

Our considered systems is composed of a nonlinear metamaterial lattice which includes coupled mass-in-mass cells. The global inter cell reactions and local coupling terms are nonlinear in general. We also intend to consider the nonlinear springs for the inner mass as well. The proposed PhD subject aims at preparation of design tools for spacial acoustics metamaterials. The proposal contains following steps:

Analytical step Fast and slow dynamics [6] of the lattice should be traced; this should lead to detection of periodic and non periodic responses [7, 8]. The latter correspond to strong interactions, bifurcations and energy exchanges between different modes of the lattice [9]. The detection of different regims could demand exploiting algebraic methods for tracing roots of polynomials (eg. see [10]). The threshold of the filtering pass will be adjusted and analytical design tools for tuning nonlinear parameters of the lattice for this aim will be prepared. All of above mentioned developments will be carried out for a lattice which each cell of it contains a single or several inner nonlinear mass(es). For the case of cells with several inner masses, we will consider a general case where each inner particles possesses different properties such as nonlinear rigidities. This will permit to study the possibility of broadening the filtering pass by using several inner masses with different properties.

Numerical step All analytical developments in previous steps should be verified by numerical tools: Developed [11, 12] or adopted tools [13] for instance continuation or shooting techniques will be endowed for tracing all equilibrium points. Stabilities of such points and the possibility of multiple state cases [14] should be pinpointed as well.

Experimental step A lattice of mass-in-mass cells (with single and/or at least two inner masses) will be designed and fabricated by the 3D-printing facilities of the LTDS team in ENTPE (ProJet 3510SD of 3D Systems Europe Ltd.). The system will be tested on the 6 axes vibration test system of Equipex PHARE located at LaMCoS or on the shake table of the ENTPE-LTDS with different and varying deriving excitations. Analytical, numerical and experimental results will be compared in order to validate the established models.

3 Directors of the thesis

Régis DUFOUR¹, Alireza TURE SAVADKOOHI²

¹ LaMCoS UMR CNRS 5259, Univ Lyon, INSA-Lyon

Email: regis.dufour@insa-lyon.fr

² LTDS UMR CNRS 5513, Univ Lyon, ENTPE

Email: alireza.turesavadkoohi@entpe.fr

4 Important dates

- We will decide on your candidatures by 15 June 2020.
- The start date will be between September-October 2020.

References

- [1] H. Huang, C. Sun, and G. Huang, “On the negative effective mass density in acoustic metamaterials,” *International Journal of Engineering Science*, vol. 47, no. 4, pp. 610 – 617, 2009.
- [2] L. Cveticanin, M. Zukovic, and D. Cveticanin, “Influence of nonlinear subunits on the resonance frequency band gaps of acoustic metamaterial,” *Nonlinear Dynamics*, vol. 93, pp. 1341–1351, Aug 2018.
- [3] H. Peng and P. F. Pai, “Acoustic metamaterial plates for elastic wave absorption and structural vibration suppression,” *International Journal of Mechanical Sciences*, vol. 89, pp. 350 – 361, 2014.
- [4] B. Lazarov and J. Jensen, “Low-frequency band gaps in chains with attached non-linear oscillators,” *International Journal of Non-Linear Mechanics*, vol. 42, no. 10, pp. 1186 – 1193, 2007.
- [5] B. Lazarov and J. Thomsen, “Using high-frequency vibrations and non-linear inclusions to create metamaterials with adjustable effective properties,” *International Journal of Non-Linear Mechanics*, vol. 44, no. 1, pp. 90 – 97, 2009.
- [6] A. Ture Savadkoochi, C.-H. Lamarque, M. Weiss, B. Vaurigaud, and S. Charlemagne, “Analysis of the 1:1 resonant energy exchanges between coupled oscillators with rheologies,” *Nonlinear Dynamics*, vol. 86, pp. 2145–2159, Dec 2016.
- [7] Y. Starosvetsky and O. Gendelman, “Strongly modulated response in forced 2dof oscillatory system with essential mass and potential asymmetry,” *Physica D: Nonlinear Phenomena*, vol. 237, pp. 1719–1733, 08 2008.
- [8] S. Charlemagne, C.-H. Lamarque, and A. Ture Savadkoochi, “Vibratory control of a linear system by addition of a chain of nonlinear oscillators,” *Acta Mechanica*, vol. 228, pp. 3111–3133, Sep 2017.
- [9] S. Charlemagne, A. Ture Savadkoochi, and C.-H. Lamarque, “Dynamics of a linear system coupled to a chain of light nonlinear oscillators analyzed through a continuous approximation,” *Physica D: Nonlinear Phenomena*, vol. 374-375, pp. 10 – 20, 2018.
- [10] A. Grolet and F. Thouverez, “Computing multiple periodic solutions of nonlinear vibration problems using the harmonic balance method and groebner bases,” *Mechanical Systems and Signal Processing*, vol. 52-53, pp. 529 – 547, 2015.
- [11] C. Grenat, *Nonlinear Normal Modes and multi-parametric continuation of bifurcations: application to vibration absorbers and architected MEMS sensors for mass detection*. INSA Lyon: Ph.D. thesis, 2018.
- [12] S. Baguet, V.-N. Nguyen, C. Grenat, C.-H. Lamarque, and R. Dufour, “Nonlinear dynamics of micromechanical resonator arrays for mass sensing,” *Nonlinear Dynamics*, vol. 95, pp. 1203–1220, 2019.
- [13] MANLAB, *An interactive path-following and bifurcation analysis software*. CNRS: available at manlab.lma.cnrs-mrs.fr, 2018.
- [14] T. Detroux, L. Renson, L. Masset, and G. Kerschen, “The harmonic balance method for bifurcation analysis of large-scale nonlinear mechanical systems,” *Computer Methods in Applied Mechanics and Engineering*, vol. 296, pp. 18 – 38, 2015.